CONTENTS

Vol. 137, No. 1, May 1982

Higher excretion of urinary bound amino acids in infants: probably related to protein-anabolic effect of growth hormone. *Ts. Arakawa, T. Saito, A. Minagawa, R. Shioji, M. Kobayashi, H. Chikaoka and N. Katsushima* 1

Nociceptive and non-nociceptive responses of neurons in the medial subthalamic region and lateral hypothalamic area of cats and their relationship to the effects of morphine and pentazocine. *H. Miyakawa, K. Okuda, K. Shima, K. Aya and H. Nakahama* 11

Effect of captopril on blood pressure and renin-angiotensin-aldosterone system in hypertensive patients on hemodialysis. *H. Kaneda, T. Murata, J. Matsumoto, T. Maeta, K. Shitomi and T. Haruyama* 21

Significance of lung biopsy in determining surgical indication in cases of congenital cardiac anomalies with pulmonary hypertension. *S. Yamaki* 33

Zinc and copper contents in breast milk of Japanese women. *A. Higashi, T. Ikeda, I. Uehara and I. Matsuda* 41

A generalization of the atherosclerotic index and its application. *H. Fukasawa* 49

Further evidence for postganglionic actions of prostaglandin $F_{2\alpha}$ and histamine in the submandibular gland of the dog. *T. Shimizu, K. Nunoki and N. Taira* 59

Effects of prostaglandins on thrombus formation in mesenteric arterioles of rats. *T. Suzuki, the Late A. Hayashi and S. Takano* 65

Effects of routes of administration on the cyanide concentration distribution in the various organs of cyanide-intoxicated rats. *K. Yamamoto, Y. Yamamoto, H. Hattori and T. Samori* 73

Development of a hemolytic assay for mouse complement components in sera and the variation of their levels with age. *Y. Fukuoka, J. Seino, T. Okuda and T. Tachibana* 79

Effects of amine substances on susceptibility of cells to agglutination by concanavalin A and on paracrystal formation by vinblastin in untransformed 3T3 cells. *K. Saito and K. Kumagai* 91

The autonomy of prolactin secretion in patients with prolactin producing tumor. *K. Hanew, A. Sasaki, S. Sato, K. Murata, M. Fukui, K. Koh, Y. Shimizu, O. Murakami and K. Yoshinaga* 101

Short Reports

A circadian locomotor rhythm in the giant land snail, *Achatina fulica*. *T. Ogasawara and K. Tasaki* 109

Carcinoembryonic antigen in sputum. *Y. Tanno, K. Nishioka and T. Takishima* 111

Acute effect of cigarette smoking on serum angiotensin-converting enzyme activity in normal man. *K. Mizuno, K. Yaginuma, S. Hashimoto, T. Toki, I. Nakamura and S. Fukuchi* 113

Vol. 137, No. 2, June 1982

Dysplasia and carcinoma in situ of the exocrine pancreas. *T. Mukada and S. Yamada* 115

Mechanical behavior of lung parenchyma as a compressible continuum: a theoretical analysis. *J. Tani, M. Nakamura, H. Sasaki, T. Ōkubo, T. Takishima and J. Hildebrandt* 125

Familial cholestasis with gallstone, ataxia and visual disturbance. *Y. Tazawa and T. Konno* 137

Ventilatory response and drive due to carbon dioxide stimulation in idiopathic scoliosis. *K. Sasaki, S. Inoue, A. Yoshida, F. Hayashi, Y. Masuda and Y. Honda* 145

Effects of injecting brush border antigen on Heymann nephritis. *M. Hara, T. Yamamoto and I. Kihara* 153

Studies of immune functions of patients with chronic hepatitis. *A. Nonomura, M. Tanino, H. Kurumaya, G. Ohta, Y. Kato and K. Kobayashi* 163

Screening study on excretion pattern of urinary glycosaminoglycans from orthopedic patients. *K. Sato, Y. Nagatsuka, M. Isemura, N. Ototani and Z. Yosizawa* 179

ACTH content in the anterior pituitary after the infusion of various doses of corticosterone and dexamethasone in normal and adrenalectomized rats. *M. Sakakura, M. Yoshioka and M. Kobayashi* 191

Hyperthermic irrigation of urinary bladder tumor in rabbits. *R. Nemoto, T. Kato, H. Mori, K. Iwata and M. Harada* 199

Neutrophil function in newborns. *S. Miyazaki, H. Shin, S. Kakuda, Y. Tomooka and N. Goya* 207

Diurnal fluctuation of blood ammonia levels in adult-type citrullinemia. *Y. Yajima, T. Hirasawa and T. Saheki* 213

Enhancement of mitogen-induced human lymphocyte transformation by diiron enneacarbonyl in serum-free medium. *Y. Tanno and T. Takishima* 221

Short Reports

Urethral responses to nerve stimulation measured by strain gauge force transducer. *N. Koinuma, I. Moriya, O. Nishizawa and S. Tsuchida* 229

A case of early gastric cancer whose diagnosis was expedited by amogastrin-^{99m}Tc pertechnetate scintigraphy. *S. Okuyama, H. Mishina, R. Yamagata, K. Yamamoto, H. Nagashima and T. Taima* 231

Vol. 137, No. 3, July 1982

Frequencies of specific antibody-producing cells for sheep red blood cells and for phosphorylcholine in human tonsillar B lymphocytes transformed by Epstein-Barr virus. *O. Yoshie and Y. Ono* 233

Surgical treatment for Crohn's disease, with special reference to operative procedures and their relationship to recurrence. *J. Kameyama, I. Sasaki, M. Imamura, H. Naito and T. Sato* 245

Acidic glycosaminoglycans and gangliosides in the brains from four patients with genetic mucopolysaccharidosis. *T. Ikeno, R. Minami, S. Tsugawa and T. Nakao* 253

A comparison of normal limits arising in nerve conduction studies. *M.G. Campbell, E.P. Copp, J.L. James, J. Keenan, P.H. Merry and S.M. Rudolfer* 261

A method for determination of human urinary inactive kallikrein (prekallikrein). *K. Shimamoto, J. Chao and H.S. Margolius* 269

A female case of the Lesch-Nyhan syndrome. *K. Hara, S. Kashiwamata, N. Ogasawara, H. Ohishi, R. Natsume, T. Yamanaka, S. Hakamada, S. Miyazaki and K. Watanabe* 275

Plasma LH, FSH and TSH responses to the synthetic enkephalin analog (FK 33-824) in normal subjects and patients with pituitary diseases. *R. Demura, T. Suda, I. Wakabayashi, M. Ono, K. Jibiki, E. Odagiri, H. Demura and K. Shizume* 283

Simultaneous quantitative estimation of galactose-1-phosphate and galactose in blood for the diagnosis of galactosemia. *Y. Fujimura, M. Kawamura and H. Naruse* 289

Decreased membrane fragility of mouse erythrocytes by small dose of methylmercury and its restoration by coadministered selenite. *R. Yamamoto and T. Suzuki* 297

Regional difference in sodium chloride content in home-made and store-bought preparations of miso paste. *T. Watanabe, M. Miyasaka, A. Koizumi and M. Ikeda* 305

Experimental model of sudden cardiac death from unexplained cause. *T. Suzuki, S. Kashimura and K. Umetsu* 315

A correlation between cancer metastases and the fluidity of cancer cell membrane. *I. Nakazawa and M. Iwaizumi* 325

Comparison of cytosolic and mitochondrial enzyme alterations in the livers of propionic or methylmalonic acidemia: a reduction of cytochrome oxidase activity. *K. Hayasaka, K. Metoki, T. Satoh, K. Narisawa, K. Tada, T. Kawakami, N. Matsuo and T. Aoki* 329

Iron-containing proteins augment responses of human lymphocytes to phytohemagglutinin and pokeweed mitogen in serum-free medium. *Y. Tanno, S. Arai and T. Takishima* 335

Short Reports

The acoustic characteristics of the left ventricle. *Y. Koiwa, R. Hashiguchi, S. Isoyama, S. Satoh, H. Suzuki, T. Takishima and H. Ni-ino* 345

Serum oxytocin concentrations in women under pseudopregnant therapy. *T. Yoshida, Y. Hattori, Y. Takashima and K. Noda* 347

Vol. 137, No. 4, August 1982

The variations of estrogen receptor, progesterone receptor, cAMP, ODC activity and RNA synthesis of deciduomata in pseudopregnant rats. *H. Hoshiai, S. Uehara, M. Suzuki and C. A. Villee* 349

Effects of thymoxamine on ouabain-induced arrhythmias in dogs. *K. Oguro, H. Hashimoto and M. Nakashima* 361

Inhibitory effect of vitamin E on lipoperoxide formation in rat adrenal gland. *F. Umeda, K. Kato, H. Ibayashi, M. Kojima, Y. Shibata and T. Yamamoto* 369

Pyruvate decarboxylase deficiency in a patient with Leigh's encephalomyelopathy. *M. Ohtake, G. Takada, S. Miyabayashi, N. Arai, K. Tada and S. Morinaga* 379

Neuro-pharmacologic studies on neurogenic bladder after radical hysterectomy. *T. Yoshida, H. Sasaki, K. Noda, S. Yachiku and S. Kaneko* 387

Lipid peroxidation and antioxidants in rat liver during development. *T. Yoshioka, Y. Takehara, M. Shimatani, K. Abe and K. Utsumi* 391

The strain-energy density function of the urinary bladder. *T. Saito and F. Oki* 401

Plasma soluble fibrin monomer complexes in the development of diabetic retinopathy. *S. Isogai, K. Kikuchi, M. Kameyama, Y. Oshima, T. Urayama and M. Komoto* 409

An interaction between human seminal acid phosphatase and *Canavalia gladiata* DC lectin. *M. Iwasa, T. Yokoi and K. Sagisaka* 415

Platelet sensitivity to adenosine diphosphate and to prostacyclin in diabetic patients. *H. Onodera, T. Hirata, H. Sugawara, K. Sugai, B. Yoda, T. Toyota and Y. Goto* 423

A simple method for quantitative determination of high density lipoprotein 2- and 3-cholesterol concentrations by means of polyacrylamide gel electrophoresis. *A. Murai, T. Miyahara, T. Tanaka and M. Kameyama* 429

Evaluation of new criteria for diagnosis of diabetes mellitus based on follow-up study of borderline diabetes. *A. Ohneda, T. Kobayashi and J. Nihei* 437

Combination therapy of gastric carcinoma with radiation and chemotherapy. *H. Asakawa, H. Otawa, S. Yamada and K. Matsumoto* 445

Impaired insulin secretion in the spontaneous diabetes rats. *K. Kimura, T. Toyota, M. Kakizaki, M. Kudo, K. Takebe and Y. Goto* 453

Short Reports

Urinary hydroxyproline excretion as a marker of bone metastasis in prostatic cancer. *K. Rinsho and K. Aoyagi* 461

Laryngeal narrowing measured with low frequency sound. *T. Takishima, S. Suzuki, K. Sekizawa, Y. Hirose, H. Sasaki, M. Sugiyama, Y. Shimizu, Y. Akaizawa and C. Shindo* 463